

## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method comprising:  
receiving, with a server device, a request from a first client device to download a file to be transmitted as a plurality of packets of data from ~~[[a]]~~ the server device;  
multicasting the plurality of packets of data from the server device to multiple client devices, wherein the multiple client devices include at least including the first client device;  
requesting, when the first client has completed download of the file, ~~using a reliable protocol from the server device~~ with a second client device from the multiple client devices packets of data not received by the second client device, wherein in the request utilizes a reliable protocol.
2. (Original) The method of claim 1 wherein the multicasting of the plurality of packets comprises multicasting to the multiple clients using a multicast Trivial File Transfer Protocol (TFTP).
3. (Original) The method of claim 1 wherein the reliable protocol comprises a Trivial File Transfer Protocol (TFTP).

4. (Original) The method of claim 1 wherein the download of the file occurs during a pre-boot phase of the first client device.

5. (Original) The method of claim 4 wherein the file comprises a boot image for the first client device.

6. (Original) The method of claim 1 wherein the second client device tracks packet gaps within the requested file and the size of the packet gaps during the multicast of the file.

7. (Currently Amended) A computer-readable medium having stored thereon instructions that, when executed, cause one or more processors to:

receive, with a server device, a request from a first client device to download a file to be transmitted as a plurality of packets of data from ~~[[a]]~~ the server device;

multicast the plurality of packets of data from the server device to multiple client devices, wherein the multiple client devices include at least ~~including~~ the first client device;

request, when the first client has completed download of the file, ~~using a reliable protocol~~ from the server device with a second client device from the multiple client devices packets of data not received by the second client device, wherein in the request utilizes a reliable protocol.

8. (Original) The medium of claim 7 wherein the multicasting of the plurality of packets comprises multicasting to the multiple clients using a multicast Trivial File Transfer Protocol (TFTP).

9. (Original) The medium of claim 7 wherein the reliable protocol comprises a Trivial File Transfer Protocol (TFTP).

10. (Original) The medium of claim 7 wherein the download of the file occurs during a pre-boot phase of the first client device.

11. (Original) The medium of claim 10 wherein the file comprises a boot image for the first client device.

12. (Original) The medium of claim 7 wherein the second client device tracks packet gaps within the requested file and the size of the packet gaps during the multicast of the file.

13. (Currently Amended) A system comprising:  
one or more processors;  
a network interface coupled with the one or more processors; and  
computer-readable medium coupled with the one or more processors having stored thereon instructions that, when executed, cause one or more processors to receive,

with a server device, a request from a first client device to download a file to be transmitted as a plurality of packets of data from [[a]] the server device, multicast the plurality of packets of data from the server device to multiple client devices, wherein the multiple client devices include at least including the first client device, requesting, when the first client has completed download of the file, using a reliable protocol from the server device with a second client device from the multiple client devices packets of data not received by the second client device, wherein in the request utilizes a reliable protocol.

14. (Original) The system of claim 13 wherein the multicasting of the plurality of packets comprises multicasting to the multiple clients using a multicast Trivial File Transfer Protocol (TFTP).

15. (Original) The system of claim 13 wherein the reliable protocol comprises a Trivial File Transfer Protocol (TFTP).

16. (Original) The system of claim 13 wherein the download of the file occurs during a pre-boot phase of the first client device.

17. (Currently Amended) The system of claim 13 [[10]] wherein the file comprises a boot image for the first client device.

18. (Original) The system of claim 13 wherein the second client device tracks packet gaps within the requested file and the size of the packet gaps during the multicast of the file.